Work Order ID 101839

101839

Page 1

May-13-13 1:1:	5:21 PM					I M.3.9						
Item ID: Revision ID: Item Name:	D3849-1			,	Accept	*N900	040	100)* ፡	Setup Sta	1.7	S1* S2*
Start Date: Required Date: Reference:	5/10/13 : 5/21/13	Start Qty: 10.00 Req'd Qty: 10.00		*10* *10*		Cust Item Customer:	ID:	٠.				
Approvals:	Process Pla	an: אַנַ	Date: 13	3-05-14	Tooling: SPC (Y/N):		ate:			Run Sta Sto	D	R1* R2*
Sequence ID/ Work Center I	D	Operation Description			Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Rev	vision Nbr										
D3849	D											
100					0.00							
100 Waterjet FLOW CNC Waterj		Dwg Rev: Prog Rev:			0.00				_/_0	O		<u> Jm3</u> -6-4
*110		QC2- Inspect parts off	machine FAI/FA	AIB	0.00				10	0		Jm 13-6-4
QC		Memo	:		0.00				10	<u> </u>		<u></u>

		_	
NCR:	Yes .	/	No

DQA:

Date:

NCR: Y	es / No				WORK ORDER NON-O	CONFC	DRN	MANCE / UPDATE	E			
_										QA Closed:	Date	2:
Work Orde	r:				DISPOSITION			A	GAINST DE	PARTMENT/	PROCESS	
Part N					Rework Scrap]			osstube	Proc	Water Jet d. Eng. Coor.	Engineering Quality
raitiv	·				Use-as-is	┪┃ _┲		~ <u>—</u>	inishing		e/Packaging	Other
NCR N	o				Work Order Update] "		~ —	mposite		Supplier	
Root				Descri	iption of work order update	Initia	al	Action		Sign &		
Cause	Date	Step	Qty	,	or Non-conformance	Chief 6	Eng	Description	n	Date	Verification	QC Inspector
oc/Data						l						
quip/Tooling		İ								İ		
perator												
/laterial			ļ ķ									
etup [
ther				,					:			
rocess	٦.	1										
upplier		-										
raining		1								1	•	
Inapproved												
					F	AULT C	ATE	GORY				
Landin	ng Gear				General				_	•		
	Bending	5			Bend	Gra	ain			Ovalized	1_	Pressure/Forced
	Centre I	Not Conce	ntric to	o/s	BOM/Route	Har	dwa	re		Over/Under	tolerance	Temperature/Cure
ſ	Cracks				Broken/Damaged	Insp	pecti	on Incomplete		Part Incorred	t _	Weld
Ī	Crushed	I/Crimped			Burrs	Inst	tructi	ions Incomplete/Unclea	ar 🔃	Part Lost/Mi	ssing	Wrong Stock Pulled
	Cuffs				Contamination	Ma	inte	nance		Part Moved		
	Heat Tre	eat			Countersink	Mis	labe	led		Positioned W	/rong	
Ţ	Inspecti	on Strip in	Tube		Cut Too Short	Mis	read			Power Loss/S	Surge	Other
Ţ	Ripples	in Bend			Drill Holes	Offs	set			-		
	Torque	Waves in	Extrusio	n 🗀	Drawing	Out	t of C	alibration				
	Turning	Sequence	<u> </u>		Finish	Out	t of S	equence				
Ì	Wave/T	wist in Tu	be		Folio	Out	tside	Dimensions				

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde May-13-13 1:15		1839		*101	839*	· 						Page 2	
Revision ID:	D3849-1			Accept	*N900	040	100)* s	etup S		*NS		
Start Date: Required Date: Reference:	5/10/13 5/21/13	Start Qty: 10.00 Req'd Qty: 10.00	*10* *10*	n en	Cust Item I	D:							•
Approvals:		ın:	Date:	Tooling: SPC (Y/N):		ite:		R		tart		₹1* ₹2*	
Sequence ID/ Work Center II 120 *120* QC Quality Control)	Operation Description QC8- Inspect parts - seco	nd check	Set Up/ Run Hours 0.00 0.00	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty		Reject Number	Insp. Stamp	
130 *130* Brake NC Brake NC		Memo Form as per o	dwg using DT8179 & DT8	0.00 0.00 8155				10				13(=	, le le
210 * 210 * * 210 * * 210 * QC Quality Control	·	QC5- Inspect part comple	eteness to step on W/O	0.00 B 6	5			10	:			,	÷

Quality Control

NCR:	Yes	1	No

Date:

DQA:

NCR: Ye	es / No				WORK ORDER NON-	CONF	ORN	MANCE / UP	DATE			
										QA Closed:	Date	:
Work Order	ŕ:				DISPOSITION				AGAINST D	EPARTMENT	/PROCESS	
					Rework]		Skid-tube	Crosstube]	Water Jet	Engineering
Part No	o				Scrap	<u> </u>		Machining	Small Fab		d. Eng. Coor.	Quality
					Use-as-is]]]		noforming	Finishing	Rec/Sto	re/Packaging	Other
NCR N	o				Work Order Update	J		Large Fab	Composite	J	Supplier	
Root				Descri	ption of work order update	Init	tial	Ac	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chie	f Eng	Desc	ription	Date	Verification	QC Inspector
oc/Data												
quip/Tooling												
perator			ŧ									
/laterial												
etup [İ	ſ					
Other			}								:	
rocess							•					
upplier						-	1					
raining												
Inapproved												
					F	AULT	CATE	GORY				
Landin	g Gear				General					_	·	
	Bending				Bend	∐G	irain		L	Ovalized		Pressure/Forced
	Centre N	lot Conce	ntric to (o/s	BOM/Route	Шн	ardwa	re	_	Over/Under	tolerance	Temperature/Cure
ſ	Cracks				Broken/Damaged	In	ıspecti	on Incomplete		Part Incorred	ct	Weld
Γ	Crushed	/Crimped			Burrs	. In	istruct	ions Incomplete/	Unclear	Part Lost/Mi	ssing	Wrong Stock Pulled
	Cuffs				Contamination	\square	1ainte	nance		Part Moved		
	Heat Tre	at			Countersink	\square M	1islabe	led		Positioned V	Vrong	
<u> </u>	Inspection	on Strip in	Tube		Cut Too Short	М	1isread	i		Power Loss/	Surge	Other
	Ripples i	n Bend			Drill Holes		ffset		_			
ľ	Torque	Waves in I	extrusion	,	Drawing	По	ut of (Calibration				
	Turning	Sequence			Finish	По	ut of S	Sequence				
	Wave/T	wist in Tul	эe		Folio	По	utside	Dimensions				

Work Order ID 101839 May-13-13 1:15:21 PM D3849-1 Accept Item ID: Setup Start *N900040100* **Revision ID:** Stop Item Name: Plate Start Date: 5/10/13 **Start Qty: 10.00 Cust Item ID:** Req'd Qty: 10.00 Required Date: 5/21/13 **Customer:** Reference: Run Process Plan: Date: **Tooling:** Date: Approvals: Stop Date: SPC (Y/N): QC: Date: Sequence ID/ Operation Set Up/ **Tool ID** Tool # Plan Accept Reject Reject **Work Center ID Description** Code Qty **Qty** Number Stamp **Run Hours** Identify as per dwg & Stock Location: WAOO 1 220 0.00 ×10 13-06-05 *220* Packaging 0.00 Memo Packaging

230

QC21- Final Inspection - Work Order Release

0.00

QC

0.00 Memo

Quality Control

MLJ 13-06-07 MLJ 13-06-05

Insp.

Page 3

		*								DQA:	Date:	
NCR: Y	es / No				WORK ORDER NON-O	CON	IFOR N	MANCE / UP	DATE	·		
										QA Closed:	Date:	
Work Orde	.				DISPOSITION				AGAINST D	EPARTMENT	/PROCESS	
Part N	o				Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	_	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root	1	Į		Descri	ption of work order update	l I ir	nitial	Ac	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance		ef Eng		cription	Date	Verification	QC Inspector
Doc/Data												
Equip/Tooling		Ī										,
Operator											:	
Material												
Setup		·										
Other		1		· 		-						·
Process											:	
Supplier	_			•								
Training												
Unapproved		l				<u> </u>						
						AULI	CATE	GORY				
Landin					General				Г	¬		7
-	Bending				Bend	\vdash	Grain		_	Ovalized	-	Pressure/Forced
	Centre No	ot Concei	ntric to	D/S	BOM/Route	\vdash	Hardwa	-	-	Over/Under	 	Temperature/Cure Weld
}	Cracks			-	Broken/Damaged	-	•	on Incomplete	,,, , <u> </u>	Part Incorred	-	⊣
-	Crushed/	Crimped		-	Burrs	-		ions Incomplete/	Unclear	Part Lost/Mi	ssing	Wrong Stock Pulled
}	Cuffs			-	Contamination	\vdash	Mainte			Part Moved	Mara and	
}	Heat Trea		T l.		Countersink	\vdash	Mislabe		-	Positioned V		Joshan
}	Inspectio	-	lube	_	Cut Too Short	\mathbf{H}	Misread	1	L	Power Loss/	Surge	Other
}	Ripples ir				Drill Holes	\mathbf{H}	Offset	5 - 11h 41		****		
}	Torque W			n	Drawing			Calibration				·
}	Turning S			<u> </u>	Finish	-		Sequence				
	Wave/Tw	ist in Tub	oe	1	Folio	الل	Outside	Dimensions				

Picklist Print

May-13-13 1:15:21 PM

Work Order ID:

101839

Parent Item:

D3849-1

Parent Item Name:

Plate

Start Date: 5/10/13

Required Date: 5/21/13

Start Qty: 10.00

Required Qty: 10.00

Comments:

IPP REV:A NEW ISSUE 12-08-23 JLM VERIFIED BY:DD

IPP Rev:B 12.09.11 AS PER

DWG	REV.I	DD C	VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S18GA 304/316 .050 Sheet		Purchased	No			100	sf	397.1699	3.585	37.73684 Q.3 S	12 5,E,		Jm13-6-
				Location		Loc Oty	<u>Lo</u>	c Code					•
				MAT019	•	302.8							
				11'	7188	5							
				11	7766	5							
	•			120	0604	5							
				122	2325	3							
				123	3155	3							
				124	4572	153.8			134	572			
				12:	5552	128							
				MAT020		94.369894							
				120	0243	2			~~~	· .			
				12	1626	1.529894							
				124	4029	90.84							

NCR:	Yes	1	No

NCR: Ye	es / No				WORK ORDER NON-O	CONFO	RMANCE / UP	PDATE			•
									QA Closed:	Date	
Work Orde	r:				DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
					Rework]	Skid-tube	Crosstube		Water Jet	Engineering
Part No	0.				Scrap	1	Machining	Small Fab	Pro	d. Eng. Coor.	Quality
•	-				Use-as-is	The	rmoforming	Finishing	Rec/Sto	re/Packaging	Other
NCR N	o				Work Order Update]	Large Fab	Composite	_	Supplier	
Root		<u> </u>	f I	Descri	ption of work order update	Initial	Ι Δι	ction	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief Er		cription	Date	Verification	QC Inspector
Ooc/Data	Date	Step	QLY		or worr comormance	Cilici Ei	B	cription.	-		
quip/Tooling											
perator	1								. }		
/laterial	7	ļ							İ		
etup	7							•	1		
Other	7						,				
rocess			 								
Supplier	7										
raining		·				}					
Inapproved						<u> </u>					
	· · · · · ·				<u> </u>	AULT CAT	EGORY				
Landin	g Gear				General			_	7		٦ .
	Bending			ļ	Bend	Grain			Ovalized	<u> </u>	Pressure/Forced
	Centre N	ot Conce	ntric to C	D/S	BOM/Route	Hard			Over/Under		Temperature/Cure
ļ	Cracks			_	Broken/Damaged	-	ction Incomplete	_	Part Incorre	<u> </u>	Weld
L	Crushed/	'Crimped		<u> </u>	Burrs	\blacksquare	ctions Incomplete,	/Unclear	Part Lost/Mi	issing	Wrong Stock Pulled
L	Cuffs			ļ	Contamination	—	tenance		Part Moved		
	Heat Trea			_	Countersink	Misla			Positioned V		٦
į	Inspectio	-	Tube	L	Cut Too Short	Misre		L	Power Loss/	Surge	Other
Ĺ	Ripples in			<u></u>	Drill Holes	Offse					
<u> </u>	Torque V			ı	Drawing	├ ─┤	f Calibration				
1	Turning S			上	Finish	\vdash	f Sequence				· · · · · · · · · · · · · · · · · · ·
ł	Wave/Tv	vist in Tul	be		Folio	Outsi	de Dimensions				

Date: ___

DQA:


DART AEROSPACE LTD	Work Order:	101839
Description: Wearplate	Part Number:	D3849-1
Inspection Dwg: D3849 Rev: D		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.375	+0.006/-0.001	0.375"	_		V	Jkmoi
0.125	+/-0.010	0.134,	_		V	
0.88	+/-0.030	0.879"	-		V	
2.433	+/-0.010	2.441"	_		ν	
6.642	+/-0.010	6.643	_		V	
2.45	+/-0.030	2.453"	-		V	
18.000	+/-0.010	18.000°	_		Т	Jamo6
36.000	+/-0.010	36.000	_		T	
51.313	+/-0.010	51.313	-		Ť	
7.00	+/-0.030	7.006°	_		V	
41.50	+/-0.030	41.50	_		7	
7.72	+/-0.030	7.727	-		V	
54.26	+/-0.030	54.26"	_		Т	
0.050	+/-0.010	0.047				
0.188	1 pws"-6.00,"	-188				
						· · · · · · · · · · · · · · · · · · ·
			OAS			

Measured by: 7m	Audited by: 27		Preliminary Approval:	
Date: B-6-4/	Date:	1365	Date:	

Rev	Date	Change		Revised by	Approved
Α	09.10.01	New Issue	P/O D3849-041	KJ 🕡	† N
В	12.10.26	Dimensions updated per Dwg Rev D		KJ 🖎) X
					/




1.100 100 UNCONTRACT DECORY

SUBJECT TO AMELIE DAME AT

"ATTO TO FOR A

101839 _MC5

13-05-14



.

.

• ,